


Gauge	1/10	
Manufacturing	Cut pile	
Pile description	PA Luxus 2-ply	
Primary backing	Woven	
Pile weight	1350 gr/m <sup>2</sup>	
Number of tufts	161.417 /m <sup>2</sup>	
Secondary backing	Actionback	
Width	400 cm	500 cm
Total weight	1810 gr/m <sup>2</sup>	1810 gr/m <sup>2</sup>
Total height	11 mm	11 mm
Pile In/Out	In	In
Roll length	25 m	25 m
DOP	1087#00647/15098/2I	
Fire classification	Cfl-s1	
Use classification	31	
TOG rating	0,9	

Available colours	Actionback   400 cm	110   141   151   156   157   189   241   305   310   315   330   444   449   451   774   777   848   874   890   966
	Actionback   500 cm	110   141   151   156   157   189   305   310   315   330   966

Colour legend	110	Moonlit	141	Black	151	Mouse
	156	Dolphin	157	Pebble	189	Granite
	241	Bottle Green	305	Pearl	310	Marzipan
	315	Pepper	330	Beige	444	Strawberry
	449	Coral	451	Tabasco	774	Indiana
	777	Deep Mahogany	848	Prune	874	Plum
	890	Marine	966	Leather		



These details are approximate. Complete specification details and associated certificates together with tolerances applying to the above can be provided upon request. We reserve the right to modify technical specifications without prior notice. Due to method of manufacture perfect pattern and/or colour matching can not be guaranteed. In cut-pile carpeting, in rare cases, shading/pile reversal may occur without affecting its fitness for use. Shading/pile reversal can not be considered as a manufacturing or a material defect and will not affect the durability of the carpet.

BIG Floorcoverings nv Rijksweg 442 | 8710 Wielsbeke - Belgium | T +32 (0)56 67 42 11 | F +32 (0)56 67 48 40 | [www.ideal-bintg.com](http://www.ideal-bintg.com)

01.02.2019 | ISO N090N02/2/01-01-10



# Noblesse (new)



110 - 400/500 cm



141 - 400/500 cm



151 - 400/500 cm



156 - 400/500 cm



157 - 400/500 cm



189 - 400/500 cm



241 - 400 cm



305 - 400/500 cm



310 - 400/500 cm



315 - 400/500 cm



330 - 400/500 cm



444 - 400 cm



449 - 400 cm



451 - 400 cm

# Noblesse (new)



774 - 400 cm



777 - 400 cm



848 - 400 cm



874 - 400 cm



890 - 400 cm



966 - 400/500 cm